

L Number	Hits	Search Text	DB	Time stamp
1	1	6514574.pn.	USPAT;	2004/09/07 12:24
2	1	6500486.pn.	US-PGPUB USPAT;	2004/09/07 12:38
3	4	(Hage.in. or Rojas.in. or (de adj Rojas).in. or (Vision adj ease).as.) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) with ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4)))	US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:13
4	15	(Hage.in. or Rojas.in. or (de adj Rojas).in. or (Vision adj ease).as.) and ((coat\$3 or deposit\$4 or film or layer) with (((partial\$4 or tackfree or (tack adj free) or (dry near2 touch) or semi or pre) near3 (cure or cured or curing or curable)) or precur\$5 or semicur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:45
5	9	((Hage.in. or Rojas.in. or (de adj Rojas).in. or (Vision adj ease).as.) and ((coat\$3 or deposit\$4 or film or layer) with (((partial\$4 or tackfree or (tack adj free) or (dry near2 touch) or semi or pre) near3 (cure or cured or curing or curable)) or precur\$5 or semicur\$5))) and spin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:45
6	1	(Hage.in. or Rojas.in. or (de adj Rojas).in. or (Vision adj ease).as.) and (spincoat\$3 or (spin adj (coat\$3 or apply\$3 or deposit\$4))) and ((wash\$3 or clean\$3 or rins\$4) with (optical or lens\$2) with (pressure or water or aqueous) with (jet or spray\$3 or stream\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:28
7	0	(lens\$2 with ((hard or \$4siloxane or abrasion) near2 (coat\$3 or film or layer))) same ((cure or cured or curing) with (temperature) with (time) with (depend\$5 or determin\$5 or optim\$8 or selected or based))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:30
8	1	(lens\$2 with ((hard or \$4siloxane or abrasion) near2 (coat\$3 or film or layer))) same ((cure or cured or curing) with (temperature) with (depend\$5 or determin\$5 or optim\$8 or selected or based))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:31
9	32	(lens\$2 with ((hard or \$4siloxane or abrasion) near2 (coat\$3 or film or layer))) and ((cure or cured or curing) with (temperature) with time with (depend\$5 or determin\$5 or optim\$8 or selected or based))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 13:54
10	2139	(427/162,164,168).CCLS.	USPAT; US-PGPUB	2004/09/07 13:54
11	0	(359/159,166,177).CCLS.	USPAT; US-PGPUB	2004/09/07 13:54
12	0	(359/159,166,177).CCLS.	USPAT; US-PGPUB	2004/09/07 13:54
13	1794	(351/159,166,177).CCLS.	USPAT; US-PGPUB	2004/09/07 13:54
14	1369	(427/240,425).CCLS.	USPAT; US-PGPUB	2004/09/07 13:54
15	1968	(427/314,316,322).CCLS.	USPAT; US-PGPUB	2004/09/07 13:55
16	8241	(427/372.2,384,385.5,386,387).CCLS.	USPAT; US-PGPUB	2004/09/07 13:55
17	1137	(427/379).CCLS.	USPAT; US-PGPUB	2004/09/07 13:55

18	15403	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)	USPAT; US-PGPUB	2004/09/07 13:56
19	2	((351/159,166,177).CCLS.) and ((427/240,425).CCLS.)	USPAT; US-PGPUB	2004/09/07 13:57
20	2	((351/159,166,177).CCLS.) and ((427/379).CCLS.)	USPAT; US-PGPUB	2004/09/07 13:58
21	78	((427/162,164,168).CCLS.) and ((427/240,425).CCLS.)	USPAT; US-PGPUB	2004/09/07 14:02
22	0	((427/162,164,168).CCLS.) and ((427/240,425).CCLS.) and ((427/379).CCLS.)	USPAT; US-PGPUB	2004/09/07 13:59
23	25	((427/162,164,168).CCLS.) and ((427/379).CCLS.)	USPAT; US-PGPUB	2004/09/07 14:02
24	14	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) with ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:15
25	62	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) same ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:15
26	48	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) same ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2)) not ( ((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) with ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:17

27	23	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:30
28	58	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:26
29	35	((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) not (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:26
30	207	(lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:34

31	184	<p>((lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) not (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) same ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2)) not ( (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) with ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2))) or (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) or (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:30
----	-----	--	---	------------------

32	260	((lens\$2 or optic\$4) same (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application)))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:34
33	156	((lens\$2 or optic\$4) same (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application)))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) not ((lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 14:34

34	142	<p>(((lens\$2 or optic\$4) same (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application)))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) not ((lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature)))) not (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) same ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2)) not ( (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (spin\$5 near3 (coat\$3 or deposit\$4 or apply\$3 or application or film or layer) with ((thermal\$4 or heat\$3) near3 (harden\$3 or polymeriz\$5 or cure or cured or curing or curable or crosslink\$4))) and (lens\$2 or optic\$2))) or (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and ((clean\$3 or rins\$4 or wash\$3) near3 (lens\$2 or optic\$4 or substrate)) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))) or (((427/162,164,168).CCLS.) ((351/159,166,177).CCLS.) ((427/240,425).CCLS.) ((427/314,316,322).CCLS.) ((427/372.2,384,385.5,386,387).CCLS.) ((427/379).CCLS.)) and (lens\$2 or optic\$4) and (spincoat\$3 or (spin\$3 near2 (coat\$3 or deposit\$3 or apply\$3 or application))) and (precure or precured or precuring or (partial\$2 near2 cur\$4) or (dry near2 touch) or (tackfree) or (tack adj free)) and ((harden\$3 or cure or cured or curing or polymeriz\$5 or crosslink\$5) with (heat\$3 or bake or baked or temperature))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/09/07 14:35
----	-----	--	--	------------------